

BLOCK DIAGRAM, EX-800

REV A, 3-18-91, QSC AUDIO PRODUCTS INC, DOC NO SH-004100-01, FILE SH4100A2.FCD


PART NUMBERING SCHEDULE FOR PCBs USED IN EX-800

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE PROPERTY OF QSC AUDIO PRODUCTS, THAT MAY NOT BE DISCLOSED, REPRODUCED OR USED WITHOUT EXPRESS WRITTEN CONSENT FROM QSC AUDIO PRODUCTS.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
B		PROD RELEASE PER ECO 1107 GLF	5-29-91	SGM
C		REVISED PER ECO 1158	7-9-91	W.R. / SGM
D		REVISED PER ECO 1128	RDS 7-26-91	SGM
E		REVISED PER ECO 1262	11-6-91	SGM
F		REVISED PER ECO 1508 SGM	6-10-92	SGM
G		REVISED PER ECO 1602 WR	10-22-92	SGM / RAB
H		REVISED PER ECO 2009	5-11-94	SGM
J		REVISED PER ECO 2371 MP (EFF. 7-28-94)	7-20-94	SGM
K		REVISED PER ECO 2393 MP (EFF. X-28-94)		

SCHEMATIC, 2-CH POWER AMPLIFIER, EX 800
 REV D, 10-22-92, FOR PC-004101-00
 DOC NO SH-004101-02 FILE NO SCH800G*.FCD

SHEET 1, HOUSEKEEPING POWER AND FAN SPEED CONTROL



- SCHEDULE OF TEST POINTS** J 502-1 ETC
- CH-1 CH 2
 - J 502-1 J 602-1 NEGATIVE LIMITING VOLTAGE
 - J 502-2 J 602-2 POSITIVE LIMITING VOLTAGE
 - J 502-3 J 602-3 NOT USED
 - J 502-4 J 602-4 AMPLIFIER LOOP OPAMP OUTPUT
 - J 502-6 J 602-6 POS AMPLIFIER RAIL-HIGH VOLTAGE
 - J 502-8 J 602-8 NEG AMPLIFIER RAIL-HIGH VOLTAGE

PART NUMBERING SCHEDULE FOR PCBs USED IN EX-1600:

PCB NUMBER	DESCRIPTION	CH 1 PARTS	CH 2 PARTS	PARTS IN COMMON
PC-004001-00	DISPLAY PCB	101-199	201-299	1-29
PC-004002-00	INPUT PCB	301-399	401-499	31-49
PC-004101-00	AMP PCB	501-599	601-699	51-69
PC-004104-00	SPKR PCB	701-799	801-899	71-99
PC-004103-00	AC PCB	901-UP (SAME BOARD FOR CH 1, CH2)		

- LAST USED REF. DESIGN.**
- BR 51, BR 502, 602
 - C51 - 57, C526, 626
 - D51 - 53, D513, 613
 - F504, 604
 - J51, 52, J503, 603
 - K501, 601
 - L501, 601
 - Q51 - 53, Q510, 610
 - R51 - 53, R544, 644, R598, 698, R599, 699
 - RN51, RN502, 602
 - U51, 52, U506, 606
 - VR503, 603

- NOTES.**
- ALL RESISTORS 1/4-WATT, 5% UNLESS NOTED.
 - ALL CAPACITORS 100V UNLESS NOTED. TOLERANCE 20% FOR ELECTROLYTIC TYPES, 10% ON OTHER TYPES.
 - BRIDGE RECTIFIER BR 51, 1.5A, 100V.
 - R 598, 698 IS POSITIVE TEMPERATURE COEFFICIENT RESISTOR MOUNTED TO HEAT SINK. RESISTANCE 100 OHM COLD, RISING AT 55 C. QSC P/N RE-000006-PT
 - PARTS MARKED WITH TRIANGLE MUST BE REPLACED WITH EXACT TYPE ONLY. 125 W. 60 V MINIMUM, ON-RESISTANCE 0.030 OHMS MAX.
 - ZENERS D 503, 504, 603, 604 MARKED 7.5 V TESTED FOR LOW LEAKAGE, QSC P/N QD-0007.5-ZT.
 - ZENERS D 509, 513, 609, 613, 6.2V-500mW, TESTED FOR LOW LEAKAGE, QSC P/N QD-000024-QD.
 - PARTS ENCLOSED WITHIN DOTTED OUTLINE HAVE VOLTAGES GREATER THAN 42V.

PARTS LIST				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CONTRACT NO.		
FRACTIONS	DECIMALS	ANGLES	APPROVALS	
+/-	.XX +/-	+/-	DATE	
	.XXX +/-		DRAWN	
MATERIAL		CHECKED		
		SA/SGM		
FINISH		ISSUED		
NEXT ASSY USED ON		SCALE		
APPLICATION		DO NOT SCALE DRAWING		


QSC AUDIO PRODUCTS
 COSTA MESA, CALIFORNIA

SCHEMATIC EX 800
DRAWING

SIZE D FSCM NO. SH0800K1.FCD DWG NO. SH-004101-02 K REV 1 OF 3

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE PROPERTY OF QSC AUDIO PRODUCTS, THAT MAY NOT BE DISCLOSED, REPRODUCED OR USED WITHOUT EXPRESS WRITTEN CONSENT FROM QSC AUDIO PRODUCTS.


SCHEMATIC, EX-800, SHEET 2, AMPLIFIER CHANNEL A



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE PROPERTY OF QSC AUDIO PRODUCTS, THAT MAY NOT BE DISCLOSED, REPRODUCED OR USED WITHOUT EXPRESS WRITTEN CONSENT FROM QSC AUDIO PRODUCTS.

SCHEMATIC, EX-800, SHEET 3, AMPLIFIER CHANNEL B

+23V ON/OFF ENABLE TO SHEET 1 TRANSFORMER THERMAL SENSOR THERMAL BUS TO FAN SPEED CONTROL




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE PROPERTY OF QSC AUDIO PRODUCTS, THAT MAY NOT BE DISCLOSED, REPRODUCED OR USED WITHOUT EXPRESS WRITTEN CONSENT FROM QSC AUDIO PRODUCTS

SCHEMATIC, EX-SERIES DISPLAY BOARD.

PC-004001-00, REV A.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	PROD REL PER ECO 756	6-19-90	
	B	REVISED PER ECO 1603 WR	9-29-92	



CH 2 PINS

- INPUT	4
+ INPUT	6
SIG. GND	7
SIG. GND	8
THERM BUS, 0-8V	24
PWR-ON, 0-15V	19
SPKR SIGNAL, 5V PK	16
CLIP-LIM BUS, 0-4V	22
MUTE BUS, 0-8V	18
PWR GND	14

- NOTES
1. ALL RESISTORS 1/4 WATT UNLESS SPECIFIED.
 2. ALL CAPACITORS 25V UNLESS SPECIFIED.
 3. CH 2 RESISTOR NETWORK SECTIONS () WHEN DIFFERENT.
 4. CH 1 COMPONENTS NUMBERED 101-199
 5. CH 2 COMPONENTS NUMBERED 201-299.
 6. PARTS IN COMMON TO BOTH CHANNELS NUMBERED 1-99.
 7. U102, 202 ROHM BA6124 OR SAMSUNG KA2284/85
 8. LD 101, 102, HIGH-EFFICIENCY RED LED.
 9. LD 103, 104, HIGH-EFFICIENCY YELLOW LED.
 10. LD 105, HIGH-EFFICIENCY GREEN LED.

PARTS LIST			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CONTRACT NO.	
FRACTIONS	DECIMALS	ANGLES	0
+/-	.XX +/-	+/-	
	.XXX +/-		
MATERIAL	ISSUED	APPROVALS	DATE
FINISH	FCAD: 004001SH	DRAWN	PAT QUILTER 6-19-90
DO NOT SCALE DRAWING	SCALE	CHECKED	
	SIZE	ISSUED	
	FSCH NO.	FCAD: 004001SH	
	DWG NO.	FCAD: 004001SH	
	SH4001B1.FDC	FCAD: 004001SH	
	SHEET 1 OF 1	FCAD: 004001SH	

QSC AUDIO PRODUCTS
COSTA MESA, CALIFORNIA

SCHEMATIC DIAGRAM
EX-SERIES DISPLAY BOARD


SH-004001-00 B

Dwg No. SH-004001-00 1 B

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE PROPERTY OF QSC AUDIO PRODUCTS THAT MAY NOT BE DISCLOSED, REPRODUCED OR USED WITHOUT EXPRESS WRITTEN CONSENT FROM QSC AUDIO PRODUCTS.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	PROD REL PER ECO 756		
	B	CHANGE VALUE R31, WAS 21 K SEE ECO 1097	6-10-91	SGM
	C	REVISED FOR MIN-SLOT, BR-SW SEE ECO 1297 BY PHQ	1-24-92	SGM
	D	REVISE PER ECO 1916	6.	

SCHEMATIC, EX-SERIES STANDARD INPUT BOARD.
FOR PC-004005-00 REV B 7-15-93



NOTES, ALL REV LEVELS

1. ALL RESISTORS 1/4W, 5%.
2. ALL CAPACITORS 100V
3. J 32, 26-PIN CONNECTOR, TO J 1 ON FRONT DISPLAY BOARD PC-004001-00.
4. PARTS FOR CH 1 NUMBERED 301-399.
5. PARTS FOR CH 2 NUMBERED 401-499.
6. PARTS IN COMMON TO BOTH CHANNELS NUMBERED 31-49.
7. BOARD SHIPPED WITH W 301-304, W 401-404 MOUNTED AS SHOWN.
8. PARTS WITHIN DOTTED OUTLINE FOR USER MODIFICATION. SEE MANUAL.

NOTES, REV LEVELS A-B

1. THE FIRST YEAR OF PRODUCTION EX AMPLIFIERS SHIPPED WITH PC-004002-00 REV A OR B
2. FOR PC-004005-00 REV A, ADDED PADS 1-20 FOR LEVEL 1-A, 2-A INPUT ACCESSORY PCB
3. ADDED J33, 5-PIN INPUT EXTENDER HEADER AND W305,306,405 & 406.
4. NO CHANGE IN PINOUT OF J32, PINS 1-26
5. SW-31 WAS REVISED ON PC-004005-00 REV A, BUT WILL NOT AFFECT FUNCTION OF UPPER SLOT PCB.

NOTES: UNLESS OTHERWISE SPECIFIED

APPLICATION		PARTS LIST		QSC AUDIO PRODUCTS, INC. COSTA MESA, CALIFORNIA	
PC-004005-00	EX/MPA SERIES	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. DIMENSIONS PER ANSI Y14.5-1982 TOLERANCES ARE: DECIMALS .XX ± .XXX ± ANGLES ° DEBURR EDGES .XXX R MAX	CONTRACT NO.	APPROVALS	
NEXT ASSY	USED ON	MATERIAL	DATE	DRAWN	
		FINISH	6-18-90	PAT QUILTER	
			ISSUED	CHECKED	
			CAD SEED FILE NO.	SIZE	
			SH4002C1.FCD	C	
				FSONO.	
				DWGNO.	
				SH-004002-00	
				REV	
				D	
				SCALE	
				NONE	
				CAD FILE NO.	
				SH4002D1.FCD	
				SHEET	
				1 OF 1	